

	รายการยาใน รพ.อ่างทอง ที่ควรหลีกเลี่ยง หรือใช้ด้วยความระมัดระวัง	<i>cat. D or X</i>	กลุ่มยา	หมายเหตุ
1	5-FLUOROURACIL 500 MG INJ	may harm	Cytotoxic	
2	ACITRETIN CAP 10 MG(N)	teratogen	Retinoid	
3	ACITRETIN CAP 25 MG(N)	teratogen	Retinoid	
4	AMIKACIN INJ 500 MG/2 ML	may harm	Antibiotics	
5	ASPIRIN TAB 300 MG (ASPENT)	may harm/ fatal risk cannot be ruled out	NSAIDs	
6	ASPIRIN TAB 325 MG	may harm/ fatal risk cannot be ruled out	NSAIDs	
7	ATENOLOL 50 MG TAB	may harm	betablockers	
8	ATORVASTATIN 40 MG TAB	teratogen in animal/ fatal risk has been demonstrated	statins	
9	CAPECITABINE 500 MG TAB	may harm/fatal risk cannot be ruled out	Cytotoxic	
10	CARBAMAZEPINE TAB 200 MG	teratogen/fatal risk has been demonstrated	antiepileptic drug	
11	CIPROFLOXACIN HCL 250 MG TAB	may harm (C)	Antibiotics	หลีกเลี่ยงการใช้ในหญิงตั้งครรภ์ เนื่องจากมีผลเพิ่ม elective termination rate**
12	CIPROFLOXACIN LACTATE 200 MG/100 ml	may harm (C)	Antibiotics	หลีกเลี่ยงการใช้ในหญิงตั้งครรภ์ เนื่องจากมีผลเพิ่ม elective termination rate**
13	CLONAZEPAM 0.5 MG TAB	teratogen	Benzodiazepines	

14	CLONAZEPAM 2 MG TAB	teratogen	Benzodiazepines	
15	CONJUGATED ESTROGEN 0.625 MG TAB	may harm/fatal risk has been demonstrated	hormones	
16	CYCLOPHOSPHAMIDE 1000 MG INJ/75mL	may harm	Cytotoxic	
17	CYCLOPHOSPHAMIDE 50 MG TAB	may harm	Cytotoxic	
18	Daflon (Diosmin+Hesperidin) 500 MG TAB	may harm		หลีกเลี่ยงการใช้ในหญิงตั้งครรภ์ไตรมาสแรก**
19	DEPO-A INJ MEDROXYPROGESTERONE 150	may harm/fatal risk has been demonstrated	hormones	
20	DICLOFENAC TAB 25 MG	may harm/fatal risk cannot be ruled out	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
21	DICLOFENAC INJ 25 MG/ML(3 ML)	may harm/fatal risk cannot be ruled out	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
22	DOXORUBICIN INJ 50mg/25mL	may harm	Cytotoxic	
23	DOXYCYCLINE 100 MG CAP	Teratogen	Antibiotics	
24	ENALAPRIL 5 MG TAB	Teratogen /fatal risk has been demonstrated	ACEI/ARB	
25	ERGOTAMINE TAB 1 MG	Contraindicate	ergotamine	
26	FINASTERIDE 5 MG TAB	Contraindicate	hormones	
27	HYDROXYPROGESTERONE INJ 250 MG/ML	may harm/fatal risk cannot be ruled out	hormones	NSAIDs : teratogen esp* 3rd trimester

28	IBUPROFEN 400 MG TAB	may harm/fatal risk cannot be ruled out	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
29	IBUPROFEN SYRUP 60 ML	may harm/fatal risk cannot be ruled out	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
30	IBUPROFEN TAB 200 MG	may harm/fatal risk cannot be ruled out	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
31	INDOMETHACIN CAP 25 MG	may harm	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
32	KANAMYCIN 1 GM	may harm	Antibiotics	
33	LEUPRORELIN ACETATE INJ 11.25 MG	may harm	hormones	
34	LEVOFLOXACIN 500 MG	may harm/ fatal risk cannot be ruled out	Antibiotics	หลีกเลี่ยงการใช้ในหญิงตั้งครรภ์ เนื่องจากมีผลเพิ่ม elective termination rate**
35	LITHIUM CARBONATE 300 MG CAP	Teratogen /fatal risk cannot be ruled out	Lithium	
36	LOSARTAN 50 MG TAB	Teratogen	ACEI/ARB	
37	MEDROXYPROGESTERONE TAB 5 MG	may harm/ fatal risk has been demonstrated	hormones	
38	METHIMAZOLE TAB 5 MG	may harm	hormones	สามารถใช้ได้ในไตรมาส 2-3

39	METHOTREXATE INJ 50 MG/2mL	teratogen/fatal risk has been demonstrated	Cytotoxic	
40	METHOTREXATE TAB 2.5 MG	teratogen/fatal risk has been demonstrated	Cytotoxic	
41	NAPROXEN TAB 250 MG	may harm/ fatal risk cannot be ruled out	NSAIDs	
42	NITRAZEPAM TAB 5 MG	may harm	Benzodiazepines	
43	NORFLOXACIN TAB 100 MG	may harm (C)	Antibiotics	หลีกเลี่ยงการใช้ในหญิงตั้งครรภ์ เนื่องจากมีผลเพิ่ม elective termination rate**
44	NORFLOXACIN TAB 400 MG	may harm (C)	Antibiotics	หลีกเลี่ยงการใช้ในหญิงตั้งครรภ์ เนื่องจากมีผลเพิ่ม elective termination rate**
45	OFLOXACIN 200 MG TAB	may harm (C)	Antibiotics	หลีกเลี่ยงการใช้ในหญิงตั้งครรภ์ เนื่องจากมีผลเพิ่ม elective termination rate**

46	OFLOXACIN EAR DROP	may harm (C)	Antibiotics	หลีกเลี่ยงการใช้ในหญิงตั้งครรภ์เนื่องจากมีผลเพิ่ม elective termination rate**
47	OLOPATADINE HCl 0.1% w/v 5ML EYE DRG	may harm (C)	Anti allergic	(NO DATA)
48	OXALIPLATIN 100 MG/20ML INJ	may harm	Cytotoxic	
49	PACLITAXEL INJ 300 MG/50mL	may harm	Cytotoxic	
50	PHENOBARBITAL INJ 200 MG/ML	Teratogen	antiepileptic drug	
51	PHENOBARBITAL TAB 30 MG	Teratogen	antiepileptic drug	
52	PHENOBARBITAL TAB 60 MG	Teratogen	antiepileptic drug	
53	PHENYTOIN 50 MG TAB	Teratogen when Polytherapy/ fatal risk cannot be ruled out	antiepileptic drug	
54	PHENYTOIN CAP 100 MG	Teratogen when Polytherapy/ fatal risk cannot be ruled out	antiepileptic drug	
55	PHENYTOIN INJ 50 MG/ML IN 5 ML	Teratogen when Polytherapy/ fatal risk cannot be ruled out	antiepileptic drug	
56	PROPYLTHIOURACIL TAB 50 MG	may harm	hormones	use in 1st trimester
57	QUININE INJ 300 MG/ML IN 2 ML	Contraindicate/ fatal risk cannot be ruled out	antimalarial agent	
58	QUININE SULPHATE TAB 300 MG	Contraindicate/ fatal risk cannot be ruled out	antimalarial agent	
59	R-DEN TAB (levonorgestrel + ethinylestrad	may harm	hormones	
60	SIMVASTATIN 20 MG TAB	teratogen in animal	statins	
61	SOD VALPROATE SOL (60 ML)	teratogen (fatal risk has been demonstrated)	antiepileptic drug	

62	SOD.VALPROATE 200 MG CONTROLLED RE	teratogen (fatal risk has been demonstrated)	antiepileptic drug	
63	SOD.VALPROATE 400 MG/4ML INJ	teratogen (fatal risk has been demonstrated)	antiepileptic drug	
64	STREPTOMYCIN INJ 1 G	teratogen	Antibiotics	
65	SULFAMETHIOXAZOLE+TRIMETHOPRIM (40	may harm/ fatal risk cannot be ruled out	Antibiotics	
66	SULFAMETHIOXAZOLE+TRIMETHOPRIM 20	may harm/ fatal risk cannot be ruled out	Antibiotics	
67	SULFASALAZIN 500 MG TAB	teratogen	sulfonamides	
68	TETRACYCLINE CAP 250 MG(N)	teratogen	Antibiotics	
69	WARFARIN 3 MG TAB(N)	teratogen/fatal risk has been demonstrated	anti coagulants	
70	WARFARIN TAB 5 MG(N)	teratogen/fatal risk has been demonstrated	anti coagulants	
71	AZILSARTAN MEDOXOMIL 40 MG	teratogen	ACEI/ARB	
72	ETORICOXIB 90 MG TAB	may harm	NSAIDs	
73	EZETIMIBE 10 MG +SIMVASTATIN 20 MG T	teratogen in animal	statins	
74	IRBESARTAN TAB 150 MG	teratogen	ACEI/ARB	
75	ISOTRETINOIN CAP 20 MG	teratogen	Retinoid	
76	KETOROLAC TROMETHAMINE INJ 30MG/M	may harm	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
77	LOXOPROFEN 60 MG TAB	may harm	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
78	MARVELON 21'S TAB Ethinylestradiol+Des	may harm	hormones	
79	MEFANAMIC ACID 500 MG TAB	may harm	NSAIDs	NSAIDs : teratogen esp* 3rd trimester

80	MELOXICAM TAB 7.5 MG	may harm	NSAIDs	NSAIDs : teratogen esp* 3rd trimester
81	MICRONIZED PROGESTERONE SCG 200 MG	may harm	hormones	
82	MISOPROSTAL TAB	Contraindicate/ fatal risk has been demonstrated	Prostaglandin	
83	MOXIFLOXACIN 400 MG TAB	may harm	Antibiotics	หลีกเลี่ยงการ ใช้ในหญิง ตั้งครรภ์ เนื่องจากมีผล เพิ่ม elective termination rate**
84	MOXIFLOXACIN INJ 400 MG	may harm	Antibiotics	หลีกเลี่ยงการ ใช้ในหญิง ตั้งครรภ์ เนื่องจากมีผล เพิ่ม elective termination rate**
85	PARECOXIB SOD. INJ 40 MG	may harm	NSAIDs	
86	PITAVASTATIN CALCIUM 2 MG TAB	teratogen in animal/ fatal risk has been demonstrated	statins	
87	SACUBITRIL/VALSARTAN (ENTRESTO) 100 M	may harm/ fatal risk has been demonstrated	ACEI/ARB	NO DATA
88	TIGECYCLINE INJ 50 MG	may harm	Antibiotics	
89	TRETINOINE CREAM 0.025% 10 G	Teratogen	Retinoid	

Ref: Drug information

Micromedex.com

**Buckshee, K., & Baxla, A. P. (2018). Emerging Trends of Diosmin Treatment in Haemorrhoids during Pregnancy: A Review. *Indian Obstetrics and Gynaecology*, 8(1).

***Ziv, A., Masarwa, R., Perlman, A., Ziv, D., & Matok, I. (2018). Pregnancy outcomes following exposure to quinolone antibiotics—a systematic-review and meta-analysis. *Pharmaceutical research*, 35(5), 109.

may harm = should avoid